Usage of Inflammable Liquids

LaserOpticsBerlin
19 - 21 March 2012

E3

Hall:	Stand No.:
Exhibitor:	

Order Form 2012

Deadline: 2 weeks prior to event

Messe Berlin, ST21: **Fax: +49(0)30/3038-2898**
Mailing address: Messe Berlin GmbH, Service + Technik, Messedamm 22, 14055 Berlin, Germany
Technical queries: **Phone: +**49(0)30/3038-2824**, E-Mail:** messetechnik@messe-berlin.de

For approval of using inflammable liquids please fill in the below mentioned questionnaire:

Period of usage: .....

Type of inflammable liquids: .....

Group A |__| Hazard category A I

|__| Hazard category A II

|__| Hazard category A III

Gruppe B |__|

Type of usage: .....

Daily requirement: ..... l in ..... qty. unbreakable cylinder

Where are the liquids stored on the stand? ..... l in ..... qty. breakable cylinder

.....

Do vapour/air mixtures or waste gases occur during processing? |__| yes |__| no

|__| mechanical ventilation |__| no ventilation

Are fire extinguisher available?

automatic extinguishers |__| yes |__| no

portable extinguisher |__| yes |__| no

..... qty. with powder / CO_2 filling

By signing the order you acknowledge the stipulated conditions.

Name and address of recipient of invoice: VAT Reg. No.

Contact for queries: Phone: Telefax :

E-Mail:

Date:	Name of the customer (in block letters):	Legally binding signature and company stamp:
.....	.....	.....